

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L5	21054	(connect\$5 or rout\$4 or join\$4 or establish\$4 or path)with (policy or rule or rule\$based)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 08:34
2	BRS	L6	141	15 same (network adj (device or apparatus))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 08:35
3	BRS	L7	133	15 same (transmi\$6 adj (path or route or connect\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 08:39
4	BRS	L8	1	16 same (transmi\$6 adj (path or route or connect\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 08:40
5	BRS	L9	1	16 same ((forward\$4 or transfer\$4 or transmi\$6) adj (path or route or connect\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 11:37
6	BRS	L10	2	16 same ((forward\$4 or transfer\$4 or transmi\$6 or establish\$4) adj (path or route or connect\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 08:42
7	BRS	L12	0	16 and ((internal near3 (forward\$4 or transfer\$4 or transmi\$6 or establish\$4) adj (path or route or connect\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 08:43
8	BRS	L13	1	15 same ((internal near3 (forward\$4 or transfer\$4 or transmi\$6 or establish\$4) adj (path or route or connect\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 08:43
9	BRS	L11	39	16 and ((forward\$4 or transfer\$4 or transmi\$6 or establish\$4) adj (path or route or connect\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 08:59
10	BRS	L14	66	equipe.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 09:02

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L15	0	114 and (configuration adj policy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 09:04
12	BRS	L16	12	((policy or rule or provision\$4)near4 (configur\$7 or connect\$4 or establish\$4 or enabl\$4 or access\$4 or rout\$4))same ((network adj (device or apparatus))near6 resourc\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 09:22
13	BRS	L17	2	6578076.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 09:22
14	BRS	L18	2	6578076.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 09:28
15	BRS	L19	9	((policy or rule)near4 (provision\$4 or configur\$7 or establish\$4 or shar\$4 or utiliz\$7))same ((network adj (device or apparatus))with resources)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 10:43
16	BRS	L128	0	((computer adj system)with ((line adj card)same kernel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 10:52
17	BRS	L127	71	((establish\$4 or select\$5 or adapt\$6)near4 (path or rout\$4 or connect\$5))with (configur\$7 adj2 (database or policy))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 11:06
18	BRS	L129	19	(computer adj system)and ((line adj card)with kernel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 10:52
19	BRS	L130	502	modular adj software	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 11:06

	Type	L #	Hits	Search Text	DBs	Time Stamp
20	BRS	L131	40	1130 and (network adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 11:07
21	BRS	L132	45	1130 and ((rule or policy) adj (based or enabled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 11:07
22	BRS	L133	18	1132 and (network adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 11:11
23	BRS	L134	5	114 and (09/574341)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 11:12
24	BRS	L135	8	09/574341	USPAT; US-PGPUB	2004/11/03 11:13
25	BRS	L136	2	((policy adj based)adj3 provisioning).ti.	USPAT; US-PGPUB	2004/11/03 11:15
26	BRS	L137	0	((policy adj based)adj3 provisioning).clm.	USPAT; US-PGPUB	2004/11/03 11:15
27	BRS	L138	18	16 and (cross\$connection adj (card or board))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 12:17
28	BRS	L139	2155	((select\$6 or adapt\$4)near4 (establish\$5 or connect\$4 or rout\$4))with (policy or rul\$4 or constraint\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 12:27
29	BRS	L140	56	1139 same internal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 12:20
30	BRS	L141	6	1140 and (network\$4 adj (device or apparatus))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 12:21
31	BRS	L142	7	1140 and (network\$4 adj (device or apparatus or router))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 12:21

	Type	L #	Hits	Search Text	DBs	Time Stamp
32	BRS	L143	28286	((select\$6 or adapt\$4)near4 (establish\$5 or connect\$4 or rout\$4))with (port\$1 or card or NIC or cross\$connect)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 12:29
33	BRS	L144	74	1143 same (ploicy or rule or constraint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 12:57
34	BRS	L145	301	(network adj (device or apparatus or switch or router or hub or repeater))same (internal near4 (path or connect\$5 or rout\$4 or path))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 12:32
35	BRS	L146	0	1145 same (ploicy or rule or constraint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 12:32
36	BRS	L147	29	1145 and (ploicy or rule or constraint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 12:32
37	BRS	L148	11343 2	(plural\$4 or multiple or many or different)near3 (path or route or connection)	USPAT; US-PGPUB; IBM_TDB	2004/11/03 12:59
38	BRS	L149	17087 9	(plural\$4 or multiple or many or different)near3 (path or route or connection or channel)	USPAT; US-PGPUB; IBM_TDB	2004/11/03 13:31
39	BRS	L150	23058	1149 with (device or processor or memory or storage)	USPAT; US-PGPUB; IBM_TDB	2004/11/03 13:00
40	BRS	L151	24081	1149 with (device or processor or memory or storage or card\$1)	USPAT; US-PGPUB; IBM_TDB	2004/11/03 13:00
41	BRS	L152	1024	1151 same ((within or internal\$4 or inside)near3 (device or processor or memory or storage or card\$1))	USPAT; US-PGPUB; IBM_TDB	2004/11/03 13:06
42	BRS	L153	621	1151 with ((within or internal\$4 or inside)near3 (device or processor or memory or storage or card\$1))	USPAT; US-PGPUB; IBM_TDB	2004/11/03 13:47

	Type	L #	Hits	Search Text	DBs	Time Stamp
43	BRS	L154	4	1153 same (policy or rule or constraint)	USPAT; US-PGPUB; IBM_TDB	2004/11/03 13:16
44	BRS	L155	2	1153 same ((policy or rule or constraint)with (connection or path or route))	USPAT; US-PGPUB; IBM_TDB	2004/11/03 13:48
45	BRS	L156	17	1153 and ((policy or rule or constraint)with (connection or path or route))	USPAT; US-PGPUB; IBM_TDB	2004/11/03 13:16
46	BRS	L157	2601	1149 and ((policy or rule or constraint)with (connection or path or route))	USPAT; US-PGPUB; IBM_TDB	2004/11/03 13:17
47	BRS	L158	471	1151 and ((policy or rule or constraint)with (connection or path or route))	USPAT; US-PGPUB; IBM_TDB	2004/11/03 13:28
48	BRS	L160	37003	(plural\$4 or multiple or many or different)near3 (path or route or connection or channel)	EPO; JPO; DERWENT	2004/11/03 13:31
49	BRS	L159	19	(switch\$4 adj fabric\$1)with (cross\$connect near6 (card or board or PCB))	USPAT; US-PGPUB; IBM_TDB	2004/11/03 13:31
50	BRS	L161	73	1160 with ((within or internal\$4 or inside)near3 (device or processor or memory or storage or card\$1))	EPO; JPO; DERWENT	2004/11/03 14:08
51	BRS	L162	0	1161 same ((policy or rule or constraint)with (connection or path or route))	EPO; JPO; DERWENT	2004/11/03 13:49
52	BRS	L163	0	1161 and ((policy or rule or constraint)with (connection or path or route))	EPO; JPO; DERWENT	2004/11/03 13:49
53	BRS	L164	1667	((policy or rule or constraint)with (connection or path or route))	EPO; JPO; DERWENT	2004/11/03 13:51
54	BRS	L165	14	1164 and (network adj (device or apparatus or router or hub))	EPO; JPO; DERWENT	2004/11/03 14:09
55	BRS	L166	255	((policy or rule or constraint)with (connection or path or route)).ti.	EPO; JPO; DERWENT	2004/11/03 13:51
56	BRS	L167	3	((policy or rule or constraint)near3 provisioning).ti.	EPO; JPO; DERWENT	2004/11/03 13:53
57	BRS	L168	58	709/\$.ccls. and ((policy or rule or constraint)near3 provisioning)	USPAT; US-PGPUB; IBM_TDB	2004/11/03 14:06

	Type	L #	Hits	Search Text	DBs	Time Stamp
58	BRS	L169	933	709/\$.ccls. and ((policy or rule or constraint)near3 (rout\$4 or connect\$4 or path or channel\$4))	USPAT; US-PGPUB; IBM_TDB	2004/11/03 14:07
59	BRS	L170	301	1169 and ((within or internal\$4 or inside)near3 (device or processor or memory or storage or card\$1))	USPAT; US-PGPUB; IBM_TDB	2004/11/03 14:08
60	BRS	L171	87	1170 and (network adj (device or apparatus or router or hub))	USPAT; US-PGPUB; IBM_TDB	2004/11/03 14:09
61	BRS	L174	1	1172 same (policy or rule or constraint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 15:12
62	BRS	L173	7	1172 and (policy or rule or constraint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 15:13
63	BRS	L172	54	((alter\$6 or chang\$4 or switch\$4 or reconfigur\$8)near3 (connect\$5 or route\$1 or path\$1 or channels\$1))with (resource near3 (need\$1 or requir\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 15:45
64	BRS	L175	366	((selecti\$5 or adapt\$5)near3 (connect\$5 or route\$1 or path\$1 or channels\$1))with (line\$card\$1 or cross\$connect))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 15:47
65	BRS	L176	274	((selecti\$5 or adapt\$5)adj3 (connect\$5 or route\$1 or path\$1 or channels\$1 or forward\$4 or transfer\$4))with (line\$card\$1 or cross\$connect))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 15:48
66	BRS	L177	16	((selecti\$5 or adapt\$5)adj3 (connect\$5 or route\$1 or path\$1 or channels\$1 or forward\$4 or transfer\$4))with ((multiple or plural\$4 or different) near3 (line\$card\$1 or cross\$connect))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 15:56

	Type	L #	Hits	Search Text	DBs	Time Stamp
67	BRS	L178	35	((selecti\$5 or adapt\$5)adj3 (connect\$5 or route\$1 or path\$1 or channels\$1 or forward\$4 or transfer\$4))same ((multiple or plural\$4 or different) near3 (line\$card\$1 or cross\$connect))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 15:56